manufactured shall be separated from edible product departments in the manner required for separation between edible product departments and inedible product departments. Sufficient space must be allotted and adequate equipment provided so that the manufacture of the uninspected article does not interfere with the proper functioning of the other operations at the establishment. Except as provided in §314.11 of this subchapter, nothing in this paragraph shall be construed as permitting any deviation from the requirement that dead animals, condemned products, and similar materials of whatever origin, must be placed in the inedible product rendering equipment, and without undue delay. The manufacture of the uninspected article must be such as not to interfere with the maintenance of general sanitary conditions on the premises, and it shall be subject to inspectional supervision similar to that exercised over other inedible product departments. There shall be no movement of any product from an inedible product department to any edible product department. Trucks, barrels, and other equipment shall be cleaned before being returned to edible product departments from inedible product departments. Unoffensive material prepared outside edible product departments may be stored in, and distributed from, edible product departments only if packaged in clean, properly identified, sealed containers.

(c) Animal food shall be distinguished from articles of human food, so as to avoid distribution of such animal food as human food. To accomplish this, such animal food shall be labeled or otherwise identified in accordance with §325.11(d) of this subchapter.

[35 FR 15586, Oct. 3, 1970, as amended at 36 FR 11639, June 17, 1971; 53 FR 24679, June 30, 1988]

## § 318.13 Mixtures containing product but not amendable to the Act.

Mixtures containing product but not classed as a meat food product under the Act shall not bear the inspection legend or any abbreviation or representation thereof unless manufactured under the food inspection service provided for in part 350 of subchapter B of this chapter. When such mixtures are manufactured in any part of an official

establishment, the sanitation of that part of the establishment shall be supervised by Program employees, and the manufacture of such mixtures shall not cause any deviation from the requirement of §318.1.

[35 FR 15586, Oct. 3, 1970, as amended at 38 FR 29215, Oct. 23, 1973]

## §318.14 Adulteration of product by polluted water; procedure for handling.

- (a) In the event there is polluted water (including but not limited to flood water) in an official establishment, all products and ingredients for use in the preparation of such products that have been rendered adulterated by the water shall be condemned.
- (b) After the polluted water has receded from an official establishment, all walls, ceilings, posts, and floors of the rooms and compartments involved, including the equipment therein, shall, under the supervision of an inspector, be cleaned thoroughly by the official establishment personnel. An adequate supply of hot water under pressure is essential to make such cleaning effective. After cleaning, a solution of sodium hypochlorite containing approximately one-half of 1 percent available chlorine (5,000 p/m) or other equivalent disinfectant approved by the Administrator 1 shall be applied to the surface of the rooms and equipment and rinsed with potable water before use.
- (c) Hermetically sealed containers of product which have been contaminated by polluted water shall be examined promptly by the official establishment under supervision of an inspector and rehandled as follows:
- (1) Separate and condemn all product in damaged or extensively rusted containers.
- (2) Remove paper labels and wash the remaining containers in warm soapy water, using a brush where necessary to remove rust or other foreign material. Disinfect these containers by either of the following methods:
- (i) Immerse in a solution of sodium hypochlorite containing not less than 100 p/m of available chlorine or other equivalent disinfectant approved by